COMBi-PPT

Powered Pallet Truck



Equipped with our patented multi-position tiller arm the Combi-PPT offers safer operation, maximum operator visibility and















COMBi-PPT Powered Pallet Truck

With a load capacity of 11,000 lbs @ 27" the Powered Pallet Truck (Combi-PPT) can work in the smallest operating aisles.





REF.	DESCRIPTION	STANDARD	OPTION
1	Max. Lift Height	33/4"	
2	Lowered Height	3½"	
3	Overall Height	421/2"	
4	Overall Length	93"	100"
5	Ground Clearance Under Fork	3/4"	
6	Ground Clearance to Centre of Wheelbase	3/4"	
7	Width	36"	
8	Outside Spread of Fork Arms	23" / 49"	
9	Track Front	141/2" / 411/3"	
10	Load Centre Distance	27"	
11	Overhang Front	13"	
12	Wheelbase	71"	78½"
13	Overhang Back	81/2"	
14	Length From Face of Fork	371/2"	
15	Platform Length	55"	63"
16	Minimum Outside Radius	79"	861/2"
Α.	6 :	11 000	11

Α	Capacity	11,000 lbs	
В	Maximum Ground Speed	31∕₂ mph	
C	Gradeability	5%	
D	Battery Capacity	24 V / 330 Ah	
E	Fork Section	2³/4" x 8¹/4"	
F	Front Tyre (Polyurethane)	OD 31/4" / Width 33/4"	
G	Rear Tyre (Vulkollan)	OD 121/4" / Width 5"	
Н	Standard Colour	Yellow & Grey	
- 1	AC Electric Traction Motor	24 V / 51/2 HP	
J	AC Electric Pump Motor	24 V / 61/2 HP	

Superior safety with Combilift's patented **Multi-Position Tiller Arm**

The tiller can be turned to the left or right to allow the operator to remain at the side. This enables full visibility of the load and forks, while maintaining full steering control, providing greater awareness of the surroundings for enhanced overall safety.

Features Include:


- Power Steering
- AC Motor Technology
- Rear Wheel Drive
- Patented Multi-Position Tiller Arm

Distributed by:

Without Combi-PPT

Using Combi-PPT







Standing to the side of the truck eliminates the risk of being trapped or crushed while allowing the Combi - PPT to operate in very narrow aisles.

Australian Patent No. 2012389283, Australian Patent No. 2018211281, Brazilian Patent Application No. BR 112015004680-0, Brazilian Patent No. BR 122019000297-5, Canadian Patent No. 2,883,909, Canadian Patent No. 3,027,871, Chilean Patent No. 57219, Chinese Patent No. 2012800761891, Chinese Patent No. 2017110336099, Colombian Patent Application No. 15-69913, European Patent No. 2892841, German Patent No. 60 2010 037 116.6, HK Patent Application No. 15112000.6, Indian Patent No. 359069, Mexican Patent No. 355175, New Zealand Patent No. 706083, Russian Patent No. 2619405, U.S. Patent No. 9,586,797, South African Patent No. 2015/01576,

COMBILIFT HAS A POLICY OF CONTINUOUS PRODUCT DEVELOPMENT AND RESERVES THE RIGHT TO ALTER SPECIFICATIONS WITHOUT PRIOR NOTICE. SPECIFICATIONS AND/OR DIMENSIONS MAY VARY FROM THOSE ILLUSTRATED IN SOME COUNTRIES.